



A RICE LAKE WEIGHING SYSTEMS COMPANY

## GP4 LPA

GP4 SERIES "LP" RETAIL SCALE with high speed labeller



Accurate, reliable, price computing scales with high performance. Suitable for labelling of prepackaged goods.

Scales and solutions for retail



## MAIN FEATURES

- Dual alphanumeric backlit white LCD display, both on operator side and client side.
- Fast, accurate, mechanical, and waterproof keyboard, with 80 keys of which 40 PLU's with direct access (80 with dual access) and 40 functional keys.
- Thermal printer/labeller (usable with thermal paper). 8 dots/mm resolution. Print width up to 55 mm. Paper roll width of up to 63 mm, external diameter of 110 mm.
- The printing unit is easily accessible for maintenance and for the roll change
- Stainless steel structure.
- Stainless steel plate, 368x250mm (LxW) size.
- 230Vac power supply, complete with built-in rechargeable 24Vdc buffer batteries.
- Cash register drawer opening.

## FUNCTIONS


- Selectable operating modes: ticket, pricing-labelling, single article or self-service.
- 20 operators.
- Database of 3000 PLU's, 80 with direct access.
- 50 PLU groups.
- 8 preset tares and memory for 20 active tares selectable by the operators.
- 600 ingredient lists.
- 50 product traceabilities.
- 4 VAT rates with a strips function.
- 10 advertisement messages.
- Queue-system.
- 8 payment modes.
- 3 programmable password levels.
- Storage and reopening of daily tickets.
- Cancellations, discounts, special offers, hourly sales reports, customer management.
- Totals for operators, PLUs, article groups, VAT rates, and short and long term payment types.
- PLU priority work mode.
- Prints logos, EAN13 and EAN8 bar codes, price tags with the total, lot, ice.
- Management of logos and firmware with the HLL (Helmec Label Loader) software downloadable from the web site.

## I/O SECTIONS

- 2 RS232 interfaces for connection to: PC, modem, scanner, cash register.
- 1 RS485 interface for connection with up to 16 GP series' scales in a network.
- Ethernet connection (optional).

## INFORMATION

- Available upon request




- Approval:

## INSTALLATION EXAMPLES

- Supermarket

## DETAIL 1



Dimensions in mm

weight: 12,0 Kg

---

YOUR  
**WORLDWIDE**  
PARTNER

**FOR RETAIL  
SOLUTIONS**

---



[www.helmac.com](http://www.helmac.com)



**HEAD OFFICE**

Via della Fisica, 18  
41042 Spezzano di Fiorano (MO) • Italy  
Tel.: +39 0536 070960

**WAREHOUSE**

Via della Fisica, 15  
41042 Spezzano di Fiorano (MO) • Italy

*SALES AND TECHNICAL ASSISTANCE SERVICE*