



A RICE LAKE WEIGHING SYSTEMS COMPANY

HL3101

Barcode reader 2d compact HL3101



Is developed for the most demanding applications that require the possibility to execute the 1D and 2D fast scanning.

Scales and solutions for retail



FEATURES

- Equipped with USB HID / VCP or whit a serial interface.
- The small size of just 41,1 x 33 x 24 mm, are perfect for the most common applications.
- Scanning 1D and 2D.
- Compact design.
- flexible assembly.
- Scanning speed of 60 scan per second.
- IP65.

SUPPORTED BARCODE

- Barcode (1D): UPC-A, UPC-A Add-on, UPC-E, UPC-E Add-on, EAN-13, EAN-13 Addon, EAN-8, EAN-8 Add-on, JAN-8, JAN-13, Code 39, ri-Optic,Codabar (NW-7), Industrial 2 of 5, Interleaved 2 of 5, S-Code, IATA, Code 93,Code 128, MSI/Plessey, UK/Plessey, TELEPEN, Matrix 2of5, Code 11, GS1 DataBar, GS1 DataBar Limited, GS1 DataBar Expanded, Composite GS1-DataBar, Composite GS1-128, Composite EAN, Composite UPC Postalcode: Chinese Post, Korean Postal Authority code
- 2D code: PDF417, MicroPDF417, Codablock F, QR Code, Micro QR Code, DataMatrix (ECC 200), MaxiCode (Modes 2 to 5), Aztec code, Chinese Sensible Code, Passport MRZ(OCR-B)

DETAIL 1



YOUR
WORLDWIDE
PARTNER

FOR RETAIL
SOLUTIONS



www.helmac.com



HEAD OFFICE

Via della Fisica, 18
41042 Spezzano di Fiorano (MO) • Italy
Tel.: +39 0536 070960

WAREHOUSE

Via della Fisica, 15
41042 Spezzano di Fiorano (MO) • Italy

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.