



A RICE LAKE WEIGHING SYSTEMS COMPANY

TGI KH22H

TGIK22H meat mincer grater



This multi-purpose tool is essential for any modern kitchen. The grinding block can be removed from the machine body to facilitate cleaning.

Scales and solutions for retail



TECHNICAL FEATURES

- Meat mincer hourly output: 300 kg/h
- Grater hourly output: 70 kg/h
- Meat mincer revolutions per minute: 140 rpm
- Grater revolutions per minute: 900 rpm
- Meat mincer opening dimensions: Ø 82 mm
- Grater opening dimensions: 140x80 mm
- Diameter of supplied plate: 6 mm hole
- Power: 1,1 kW (1,5 HP)
- Weight: 28 kg
- Dimensions (wxdxh): 610x220x460 mm
- Power supply: Three-phase 400 V / 50 Hz Single-phase 230 V / 50 Hz

YOUR
WORLDWIDE
PARTNER

**FOR RETAIL
SOLUTIONS**



www.helmac.com



HEAD OFFICE

Via della Fisica, 18
41042 Spezzano di Fiorano (MO) • Italy
Tel.: +39 0536 070960

WAREHOUSE

Via della Fisica, 15
41042 Spezzano di Fiorano (MO) • Italy

SALES AND TECHNICAL ASSISTANCE SERVICE